

# ASUS ZenWiFi XD6 Series (XD6/XD6S)

AX5400 Dual-band Mesh WiFi 6 System

#### Features

- AX5400 WiFi 6 dual-band mesh system (5GHz 4X4 + 2.4GHz 2X2)
- Coverage up to 5,400 Sq. ft. (2pk)
- AiProtection Pro powered by Trend Micro™
- VPN function: Instant Guard, VPN server, VPN client



### Specifications

Network Standard	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax
Product Segment	AX5400 ultimate AX performance
Coverage	Large homes
Data Rate	<ul> <li>802.11b : up to 11 Mbps</li> <li>802.11a/g : up to 54 Mbps</li> <li>802.11ax (2.4 GHz) : up to 574 Mbps</li> <li>802.11ax (5 GHz) : up to 4804 Mbps</li> </ul>
Antenna	Internal antenna x 6
Transmit/Receive	2.4 GHz 2x2 5 GHz 4x4
Memory	XD6 256 MB Flash 512 MB RAM XD6S 128 MB Flash 512 MB RAM
Power Supply	AC Input : 110V~240V(50~60Hz) DC Output : 12 V with max. 2 A current

© 2022 ASUSTeK Computer Inc. All rights reserved.

Specifications, content and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on applications, usage, environment and other factors. Full specifications are available at http://www.asus.com



## Specifications

Encryption	WPA3-Personal, WPA2-Personal, WPA-Personal, WPA-Enterprise, WPA2-Enterprise, WPS support
Management	UPnP, IGMP v1/v2/v3, DNS Proxy, DHCP, NTP Client, DDNS, Port Trigger, Port Forwarding, DMZ, System Event Log
VPN Support	IPSec Pass-Through, PPTP Pass-Through, L2TP Pass-Through, OpenVPN server, PPTP server, Ipsec server, OpenVPN server, PPTP client, L2TP client, OpenVPN client
WAN Connection Type	Automatic IP, Static IP, PPPoE(MPPE supported), PPTP, L2TP
Ports	XD6: 1 x Gigabit WAN port 3 x Gigabit LAN ports XD6S: 1 x Gigabit WAN port 1 x Gigabit LAN port
Button	WPS Button Reset Button
OS Support	Windows® 11 Windows® 10 Windows® 8.1 Windows® 8 Windows® 7 Mac OS Linux
Features	Router app , MU-MIMO, Smart connect , Traffic Analyzer, Adaptive QoS, AiProtection Pro , Parental Control, Guest Network, VPN server ,VPN client ,OFDMA , Beamforming, IPTV support, Bandwidth Limiter, ICMP, AiMesh

Specifications, content and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on applications, usage, environment and other factors. Full specifications are available at http://www.asus.com



## Specifications

Operation mode	<ul><li>Wireless router mode</li><li>Access point mode</li><li>Media bridge mode</li></ul>
Product Dimensions	12.6 x 5.9 x 12.9 cm (WxDxH)
Product Weight	XD6: 435 g XD6S: 425 g
Package Content	ZenWiFi XD6: • RJ-45 cable • Power adapter • Warranty card • Quick start guide ZenWiFi XD6S: • RJ-45 cable • Power adapter • Wall mount kit • Warranty card • Quick start guide *Wall mount kit may not be available in all regions/ countries. Please check with your retailer for exact offers.
Note	*Content may vary in different regions and packages.

© 2022 ASUSTeK Computer Inc. All rights reserved.

Specifications, content and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on applications, usage, environment and other factors. Full specifications are available at http://www.asus.com